

High Speed Dot Matrix Printers

T2265 T2280



High speed and rugged design for easy use and heavy-duty operation

At top speeds of 1,100 and 900 characters per second, the T2280 and T2265 keep pace with the bustling, no-nonsense world where printing is time sensitive and critical. These devices produce multi-part invoices, shipping documents or bar code labels at a rate of 40,000 to 50,000 pages per month.

The T2280 is optionally configured with three input tractors (two front, one rear) and the T2265 is expandable to two front input tractors. Both printers handle up to 7-part forms with a straight paper path resulting in jam-free operation.

High Throughput

- T2280: 1,100 characters per second/600 pages per hour in draft mode; near letter quality printing at 370 characters per second
- T2265: 900 characters per second/540 pages per hour in draft mode; near letter quality printing at 300 characters per second

Superior Forms Handling

- Straight paper path for reliable forms handling
- Up to 7-part forms with no skewing or jamming
- Automatically adjusts for different forms thickness
- Load up to three forms at once (T2280)
- Automatic quick-tear

Ease of Use

- Long life, 20 million character ribbon for less operator interventions

Excellent Connectivity

- Serial and parallel standard
- 10/100 Ethernet and Twinax/Coax/IPDS optional

Monochrome Laser
Line Matrix **Computer Printers**
Color Laser Ink Jet
Serial Dot Matrix

EXPECT **More.**

Tally[®]
Computer Printers

The ultimate in heavy-duty, multiple-tractor forms handling!

| | T2265 | T2280 |
|------------------------------------|---|---|
| | 136 Column | 136 Column |
| | | T2280-2T |
| | | 136 Column with front and rear tractors (no color version available) |
| Print Technology | 24-Wire Serial Impact Dot Matrix | |
| Print Speeds | 15 cpi: Draft 900 cps NLQ 300 cps LQ 150 cps | 15 cpi: Draft 1100 cps NLQ 370 cps LQ 185 cps |
| | 12 cpi: Draft 720 cps NLQ 240 cps LQ 120 cps | 12 cpi: Draft 880 cps NLQ 295 cps LQ 145 cps |
| Workload | 40,000 pages per month | 50,000 pages per month |
| Copies | 7-part forms | Front: 7-part forms Back: 3-part forms |
| Throughput | 540 pages per hour (ECMA 132/6.91, draft) | 600 pages per hour (ECMA 132/6.91 draft) |
| Fonts | Draft, Copy Draft, Courier, Roman, Sans Serif, OCR A, OCR B, 15 Bar Codes & scaleable LCP fonts | |
| Character Density | (Emulation dependent) 10,12,15,17.1, 20 cpi | |
| Line Density | 2, 3, 4, 6, 8, 12 lpi | |
| Graphics Resolution (V x H) | Up to 360 x 360 dpi | |
| Paper Handling | Standard: Front insertion, Push tractor with paper parking and AGA | Standard: Front insertion, Push tractor with paper parking and AGA. T2280-2T: 2nd push tractor Options: Additional front push tractor, automatic dual-bin sheet feeder (190 sheets per bin), face down output, paper cutter |
| Interfaces | Standard: Bi-directional Centronics Parallel and RS-232 Serial (auto-switching); 128K buffer Optional: Ethernet (Novell & TCP/IP), Twinax, Coax, Twinax IPDS, Coax IPDS, RS-422, Current Loop | |
| Compatibility | IBM® Proprinter XL24e, Epson® LQ-2550, Epson® LQ-2170 (ESC P/2), MTPL | |
| Consumables | 20 M Character Ribbon; Printhead Life: 500 M Characters (draft) | |
| Noise Level | 53 dB(A) (ISO 7779) | |
| Physical (W x H x D) | 24.5" x 10.9" x 16.9"; 42 lbs. | |
| Power Requirements | AC 230V, 50/60Hz and 120V, 60Hz (selectable) | |
| Power Consumption | 60 Watts | 70 Watts |
| MTBF | 10,000 hours @ 100% duty cycle | |
| Environmental | +10°C to +35°C (temperature); 16% to 73% (relative humidity) | |
| Options | Twinax or Coax (with or without IPDS), Ethernet, Current Loop and RS422 interfaces; second front push tractor, paper cutter, dual bin sheet feeder*, face down output*; printer stand, pedestal cabinet; color; and DEC® LA75 | |


*Automatic dual bin sheet feeder and face down output module not available for T2280-2T.



BSEN ISO 9001:1994
Certificate No. FM 28149



2/05. Specifications subject to change without further notice, all product and brand names are trademarks of the respective companies. Copyright © 2005, Tally Printer Corporation. Tally and Tally logo are registered trademarks of Tally Printer Corporation.



Tally®
Computer Printers



T2265



T2280